



The Mercedes-Benz Sprinter.

Panel van models.

Prices effective from January 2025.

Mercedes-Benz



[RETURN TO START](#)

Contents

> Model overview	3
> Trims	
Sprinter PRO	4
Sprinter SELECT	5
> Colours and Upholstery	6
> MBUX infotainment system	7
> Equipment	8
> Engine and gearbox	20
> Fuel consumption	21
> Weights and payloads	23
> Dimensions	24
> List prices	33
> Finance Options	34
> The Mercedes-Benz App	35
> Approved Used	36
> Aftercare	37

Please note

This document provides information about the model range line-up and specifications of the Sprinter. It also contains key details about options, economy and performance of all variants. Details are correct at time of publication and are subject to revision. Any images used in this document may not reflect UK specification and are for illustrative purposes only. Images may show optional equipment which does not form part of UK standard specification.

The Mercedes-Benz Sprinter.



RETURN TO START



Panel van – 3 seats

1 model:



L2



L3



L4

3 lengths:



H2

1 height:



PRO



SELECT

2 trims:

Discover more about the other Mercedes-Benz Sprinter models in our range:

[▶ The Sprinter Chassis and Chassis Crewcab](#)

The Sprinter PRO.

All panel vans come with the following equipment as standard:

Interior

- TEMPATIC air conditioning
- Multifunction steering wheel
- Height and rake adjustable steering wheel
- Instrument cluster with colour display
- Armrest for driver's seat
- Co-driver's double seat
- USB socket, 5 V
- Stowage compartment underneath cockpit
- Shelf above windscreen
- Maturin black fabric

Exterior

- Electrically foldable and adjustable, heated exterior mirrors
- 16" Steel wheels

Load Area

- Full-length partition
- Double-wing rear doors, opening to side wall
- Wood flooring
- Towing eye rear
- Spare wheel

Safety, security and connectivity

- Active Brake Assist
- Reversing camera
- Blind Spot Assist
- Sideguard Assist
- Crosswind Assist
- Active Lane Keeping Assist
- Intelligent Speed Assistant
- ATTENTION ASSIST
- Headlight assistant
- Tyre pressure monitoring front and rear
- Breakdown management
- Hill-Start Assist
- Cruise control
- Rain sensor
- Driver's and Co-driver's airbag
- Alarm and double locks

Technology

- MBUX Multimedia system
- Digital radio (DAB)
- Acoustic package
- Pre-installation: Remote services plus
- Smartphone integration package



The Mercedes-Benz Sprinter

The Sprinter SELECT.

Upgrade from PRO to SELECT to get all of the additional equipment listed below:

Interior

- Leather covered steering wheel and shift lever
- Comfort driver's seat
- Lumbar support for driver's seat
- Convenience head restraint, driver's seat
- Cup holders in front
- Electrically powered hot-air auxiliary heater
- Hinged lid for stowage compartment

Exterior

- Radiator grille frame in body colour
- Front & rear mud flaps

Technology

- Charging package, dashboard
- Highbeam Assist
- LED High Performance headlamps



The Mercedes-Benz Sprinter 5

Overview	Sprinter PRO	Sprinter SELECT	MBUX	Equipment	Engine and gearbox	Fuel consumption	Weights and payloads	Dimensions	List prices	Finance Options	Mercedes-Benz App	Approved Used	Aftercare
----------	--------------	-----------------	------	-----------	--------------------	------------------	----------------------	------------	-------------	-----------------	-------------------	---------------	-----------

Colours and upholstery.

Solid paints



Arctic White
(Standard on the Sprinter panel van)




Jupiter Red



Steel Blue



Jet Black




Blue Grey

Metallic paints



Tenorite Grey Metallic




Selenite Grey Metallic



Obsidian Black Metallic




High Tech Silver Metallic




Cavansite Blue Metallic


Interior upholstery



Maturin black fabric (Standard)



Caluma black fabric



Black ARTICO man-made leather

Due to limitations of on-screen representation, the vehicle colours may differ in reality to the on-screen images.

MBUX – the Mercedes-Benz User Experience infotainment system.



RETURN TO START

The Mercedes-Benz state-of-the-art infotainment system now has increased computing power, improved functionality in controlling vehicle functions and better compatibility with mobile devices.

It includes the following features:

Standard features

- 2-way front speaker, 4 x 25 W output, sound settings, separate volume settings for audio and phone
- AM/FM radio with dual tuner
- Bluetooth connectivity with audio streaming
- Center-fill speakers for improved sound quality and voice output
- Digital Instruction Manual
- Extensive personalization options with up to seven profiles²
- High-resolution 10.25-inch touchscreen (1,920 x 720 pixels)
- LINGUATRONIC voice control with optimized, intuitive voice assistant
- Multimedia interface with three backlit 18 W PPS USB-C ports
- Online Music^{1,2}: Tidal, Amazon Music, Spotify.
- Over-the-air (OTA) updates²
- Seat-based voice recognition for driver and front passenger³
- Wi-Fi hotspot
- Wireless remote UI connection for Apple CarPlay and Android Auto⁴

¹ Service Entertainment Package required

² via The Mercedes-Benz App

³ only together with comfort overhead control panel (LC4)

⁴ Apple CarPlay and Android Auto is only available in conjunction with E4S – Smartphone integration package



Equipment (standard and optional overview).



RETURN TO START

Key: ● Standard ○ Optional — Not available

Category	Description	Option code	Rear-wheel drive			
			PRO	SELECT		
Exterior Features						
Axle	Front axle with upgraded axle load PRO, Optional on L4 models. SELECT, Optional on 319, 515, 517 and 519 L4 models.	A50	●	●		
	Rear axle springs for increased payload Optional on 315 and 319 Panel Van models.	C83	○	○		
Body	Front bumper painted in vehicle colour	CN3	○	○		
	Pre-installation tailpipe for body builders	K61	○	○		
Bulkhead	Full-length partition	D50	●	●		
	Full-width partition with window	D51	○	○		
	Prov.f.retrofitting of partition	D62	○	○		
	Omission partition	D93	○	○		
Exhaust	Exhaust ending laterally behind rear axle Not available for 5 tonne models.	K63	○	○		
Fuel Tank	Main tank 71 litres	K13	○	○		
	Main tank, 93 litres	KB7	●	●		
	Fuel filter with water separator	KL5	○	○		
Gearbox	9G-TRONIC	G43	○	○		
	6-speed ECO Gear manual transmission Not available on 319 and 519 models.	GD8	●	●		
	6-speed ECO Gear High Torque manual transmission Standard on 319 and 519 models.	GD9	●	●		

Changes to individual option availability and combinations may occur depending on vehicle specification choices and the continuing evolution and adaptation of our product range. These changes may not be immediately reflected in this document as they occur, but will be introduced at the next revision opportunity.

Equipment (standard and optional overview).

● Standard ○ Optional — Not available



RETURN TO START

Category	Description	Option code	Rear-wheel drive			
			PRO	SELECT		
Exterior Features (cont.)						
Loading Doors	Sliding door right	T16	○	○		
	Sliding door left	T19	●	●		
	Electr. closing assist, sliding door right	T50	○	○		
	Electrical operation of sliding door, right	T51	○	○		
	Rear doors, double-wing, opening to side wall	W54	●	●		
	Rear door step	W73	○	○		
Mirrors	Electrically foldable exterior mirrors	F64	●	●		
	Exterior mirror heated and electr. adjustable	F68	●	●		
	Exterior mirrors without indicators	FU5	○	○		
Mud flaps	Front mud flaps	P47	○	●		
	Rear mud flaps	P48	○	●		
Paint	Radiator grille frame in vehicle colour	CN2	○	●		
	Chrome-plated radiator grille	FK3	○	○		
Roof	High roof H2	D03	●	●		
	H1 in lieu of H2 Optional on L2 models.	D03O	○	○		
Suspension	Air suspension – run-on module 30 min	C1N	○	○		
	Air suspension for rescue vehicles	C1R	○	○		
	Air suspension – pre-installation, control switch, rear	C1V	○	○		
	Air suspension – actuation, speed signal	C2A	○	○		
	Air suspension – control switch at rear Only for 3 tonne models.	C2H	○	○		
	Air suspension – control switch, instrument panel	C2I	○	○		

Changes to individual option availability and combinations may occur depending on vehicle specification choices and the continuing evolution and adaptation of our product range. These changes may not be immediately reflected in this document as they occur, but will be introduced at the next revision opportunity.

Equipment (standard and optional overview).

● Standard ○ Optional — Not available



RETURN TO START

Category	Description	Option code	Rear-wheel drive			
			PRO	SELECT		
Exterior Features (cont.)						
Suspension (cont.)	Air suspension – valve for emergency filling	C2V	○	○		
	Suspension for comfort and load protection	CB1	○	○		
	Comfort suspension, air suspension	CB2	○	○		
	Stabilisation level III	CB4	○	○		
	Stabilisation level I	CB7	●	●		
	Stabilisation level II	CB8	○	○		
	Deletion, vehicle lowering Available for 3 tonne vehicles. Optional on L2 models.	CW2	●	●		
	Longitudinal member reinforcement	Q11	●	●		
Tyres	Tyres without name of make	RD9	●	●		
	Make of tyres Continental (10)	RF1	○	○		
	Make of tyres Michelin (80) Not available for 5 tonne models.	RF8	○	○		
	Make of tyres Goodyear (90)	RF9	○	○		
	Tyres 205/75 R 16 C Only for 5 tonne models. Optional for L4 models.	RG3	●	●		
	Tyres 225/75 R16 C Optional for 319 models.	RG8	○	○		
	Tyres 235/65 R16 C Not available for 5 tonne models.	RH2	●	●		
	Tyres 235/60 R17 C Not available for 5 tonne models.	RH3	○	○		
	All-season tires	RM0	○	○		
	M+S tyres	RM1	○	○		
	Summer tyres	RM7	●	●		
	Tyre pressure monitoring front/rear, wireless	RY2	●	●		

Changes to individual option availability and combinations may occur depending on vehicle specification choices and the continuing evolution and adaptation of our product range. These changes may not be immediately reflected in this document as they occur, but will be introduced at the next revision opportunity.

Equipment (standard and optional overview).

● Standard ○ Optional — Not available



RETURN TO START

Category	Description	Option code	Rear-wheel drive			
			PRO	SELECT		
Exterior Features (cont.)						
Wheels	Spare wheel bracket below frame end	R65	●	●		
	Spare wheel	R87	●	●		
	Full wheel cover Not available for 5 tonne models.	RD8	○	○		
	Light alloy wheels 6.5 J x 16 Not available for 5 tonne models.	RL5	○	○		
	Light alloy wheels 6.5 J x 17 Not available for 5 tonne models.	RL7	○	○		
	Steel wheels, arctic white	RM2	○	○		
	Steel wheels 6.5 J x 16 Not available for 5 tonne models.	RS3	●	●		
	Steel wheels 5.5 J x 16 Only for 3 tonne models.	RS6	●	●		
	Hydraulic Jack	Y43	●	●		
Interior Features						
Floor	All-weather floor mats	V3L	○	○		
	Crew cab floor assembly	V40	○	○		
	Wood flooring	V43	●	●		
Grab Handles	Grab handle for inner seat, two-seater	S78	○	○		
	Handle for entrance	T74	○	○		
	Grab handles for driver's and co-driver's doors	T75	○	○		
	Grab handle, at load comp. sliding door on partition	T77	●	●		
	Entrance handle on LH rear corner pillar	T85	●	●		
	Entrance handle on RH rear corner pillar	T86	○	○		

Changes to individual option availability and combinations may occur depending on vehicle specification choices and the continuing evolution and adaptation of our product range. These changes may not be immediately reflected in this document as they occur, but will be introduced at the next revision opportunity.

Equipment (standard and optional overview).

● Standard ○ Optional — Not available



RETURN TO START

Category	Description	Option code	Rear-wheel drive			
			PRO	SELECT		
Interior Features (cont.)						
Heating and Ventilation	Roof-mounted air conditioning system, reinforced	H08	○	○		
	Auxiliary hot-air heater	H11	○	○		
	Diesel-powered auxiliary air heater	H12	○	○		
	Additional heat exchanger	H13	○	○		
	Electric roof fan II	H72	○	○		
	Electrically powered hot-air auxiliary heater	HH2	○	●		
	THERMOTRONIC automatic climate control	HH4	○	○		
	Roof-mounted air conditioning system, basic	HH7	○	○		
	Air con., semi-autom. controlled, TEMPMATIC	HH9	●	●		
	High-perf. roof-mounted air conditioning system	HK4	○	○		
	Winter package Includes wet wiper system (FM3), seat heating for co-driver (H15) and heated seat for driver (H16)	F2W	○	○		
	Winter Package Plus Includes wet wiper system (FM3), seat heating for co-driver (H15) and heated seat for driver (H16), Electrically powered hotair auxiliary heater (HH2), Steering wheel heating (CK8), Heat insulation (H04); in combination with CL3 only	P3Z	○	○		
Mirrors	Rear mirror inside	F61	○	○		
	Digital rear-view mirror	F84	○	○		
Panelling	Window pillar panelling	V31	○	○		
	Sidewall tie-down rails on waist rail	V42	○	○		
Seating	Seat heating for co-driver	H15	○	○		
	Heated seat for driver	H16	○	○		
	Pre-install. seat belt reminder for driver's seat	J1D	○	○		
	Pre-install. seat belt reminder for co-driver seat	J1E	○	○		
	Driver's seat	S02	●	—		
	Adjustable co-driver's seat Standard on 519 L3 models.	S04	○	○		
	Armrest for driver's seat	S22	●	●		
	Co-driver's double seat Optional on 519 L3 models.	S23	●	●		

Changes to individual option availability and combinations may occur depending on vehicle specification choices and the continuing evolution and adaptation of our product range. These changes may not be immediately reflected in this document as they occur, but will be introduced at the next revision opportunity.

Equipment (standard and optional overview).

● Standard ○ Optional — Not available



RETURN TO START

Category	Description	Option code	Rear-wheel drive			
			PRO	SELECT		
Interior Features (cont.)						
Seating (cont.)	Armrest for co-driver's seat	S25	○	○		
	Armrest, driver's and co-driver's door	S28	○	○		
	Comfort driver's seat	SB1	○	●		
	Comfort co-driver's seat	SB2	○	○		
	Suspension seat, comfort version, driver's seat	SB3	○	○		
	Suspension seat, comfort version, co-driver's seat	SB4	○	○		
	Driver's seat plus	SB9	○	○		
	Lumbar support, co-driver's seat	SE4	○	○		
	Lumbar support, driver's seat	SE5	○	●		
	Driver's seat electrically adjustable	SF1	○	○		
	Co-driver's seat electrically adjustable	SF2	○	○		
	Convenience head restraint, driver's seat	SK0	○	●		
	Convenience head restraint, co-driver	SK1	○	○		
Steering wheel	Multifunction steering wheel	C6L	●	●		
	Steering wheel heating	CK8	○	○		
	Height and rake adjustable steering wheel	CL1	●	●		
	Leather-cov. steering wheel and shift lever	CL2	○	●		
	Leather steering wheel	CL3	○	○		
Storage	Mounting rails for roof rack	D13	○	○		
	Preinstallation for switch panel	E3J	○	○		
	Coat hook in cab	F1K	●	●		
	1-DIN SLOT under dashboard, passenger side	FE9	○	○		
	Cup holder in passenger compartment	FF3	○	○		
	Shelf above roof trim	FF4	○	○		
	Shelf above windscreen	FF5	●	●		

Changes to individual option availability and combinations may occur depending on vehicle specification choices and the continuing evolution and adaptation of our product range. These changes may not be immediately reflected in this document as they occur, but will be introduced at the next revision opportunity.

Equipment (standard and optional overview).

● Standard ○ Optional — Not available



RETURN TO START

Category	Description	Option code	Rear-wheel drive			
			PRO	SELECT		
Interior Features (cont.)						
Storage (cont.)	Single-size slot at front under roof liner	FF8	○	○		
	Cup holders front	FG8	○	●		
	Hinged lid for stowage compartment	FJ1	○	●		
	Stowage compartment underneath cockpit	FJ4	●	●		
	Hinged lid for stowage compartments left and right	FJ5	○	○		
	Stowage comp. above windscreen, driver side	FX0	○	○		
	Stowage net on driver's seat backrest	SZ7	○	○		
	Stowage net on co-driver's seat backrest	SZ8	○	○		
	Cable duct on side wall	V94	●	●		
	Load securing rail system	VV2	○	○		
Trim	Fabric Caluma black	VF4	○	○		
	ARTICO man-made leather, black	VF6	○	○		
	Fabric Maturin black	VF7	●	●		
Technology Software and Electrics						
Audio Entertainment	Digital radio (DAB)	E1D	●	●		
	MBUX multimedia system	E7M	●	●		
	Communication module (LTE) for digital services	JH3	●	●		
Battery	Additional battery f. retrofit consumers, interior	E2I	○	○		
	Battery main switch single-pole	E30	○	○		
	Disconnecting relais if auxiliary battery	E36	○	○		
	AGM battery, 12 V 70 Ah	ED1	○	○		
	Heavy-duty battery	ED4	●	●		
	Starting aid contact	ES0	●	●		

Changes to individual option availability and combinations may occur depending on vehicle specification choices and the continuing evolution and adaptation of our product range. These changes may not be immediately reflected in this document as they occur, but will be introduced at the next revision opportunity.

Equipment (standard and optional overview).

● Standard ○ Optional — Not available



RETURN TO START

Category	Description	Option code	Rear-wheel drive			
			PRO	SELECT		
Technology Software and Electronics (cont.)						
Electronics	Tray for smartphones incl. wireless charging	E1B	○	○		
	USB socket, 5 V	E1U	●	●		
	Plug socket in cab	E46	○	○		
	Smartphone Integration package Required for Apple CarPlay and Android Auto functionality	E4S	●	●		
	Parameterizable special module	ED5	○	○		
	Preinstallations electrical system, PSM	ED8	○	○		
	Terminal strip for electrical connection	EK1	○	○		
	2-way loudspeakers, front and rear	EL9	○	○		
	Basic electric fitting for rear loudspeakers	EP7	○	○		
	12 V plug socket in trunk / load compartment	ES2	○	○		
	Charging package, dashboard	ES5	○	●		
	Pre-installation: Remote Services Plus	EW6	●	●		
	Instrument cluster with colour display	JK5	●	●		
Keys	Multi-button remote control	FY7	○	○		
Tachograph	Controls for tachograph at front under roof liner Optional on 3 tonne models.	H1B	●	●		
	Tachograph control under dashboard, co-driver side	J2B	○	○		
	Pre-installation, intelligent tachograph, EU	J4V	○	○		
	Omission tachograph	J92	○	○		
	Intelligent tachograph, EU Optional on 3 tonne models.	JD6	●	●		
Driver's Assistance and Safety Equipment						
Airbags	Airbag, front driver's seat	SA5	●	●		
	Airbag, co-driver	SA6	●	●		
	Thorax-pelvis sidebag, driver	SH1	○	○		
	Thorax-pelvis sidebag, co-driver	SH2	○	○		
	Windowbags for driver and co-driver	SH9	○	○		

Changes to individual option availability and combinations may occur depending on vehicle specification choices and the continuing evolution and adaptation of our product range. These changes may not be immediately reflected in this document as they occur, but will be introduced at the next revision opportunity.

Equipment (standard and optional overview).

● Standard ○ Optional — Not available



RETURN TO START

Category	Description	Option code	Rear-wheel drive			
			PRO	SELECT		
Driver's Assistance and Safety Equipment (cont.)						
Brake	Electrical parking brake Not available for 5 tonne models.	B25	○	○		
	Active Brake Assist	BA3	●	●		
	Handbrake lever, folding	BE2	○	○		
	HOLD function	BH1	○	○		
	Hill-Start Assist	E07	●	●		
	Adaptive brake light	LE1	●	●		
	Chock Optional on 3 and 4 tonne models.	Y26	○	○		
Driver's Assistance	Active Distance Assist DISTRONIC	ET4	○	○		
	WET WIPER SYSTEM	FM3	○	○		
	Crosswind Assist	JA8	●	●		
	Traffic Sign Assist	JA9	○	○		
	Active Lane Keeping Assist	JB4	●	●		
	Rain sensor	JF1	●	●		
	Lane Keeping Assist	JW5	○	○		
	ATTENTION ASSIST	JW8	●	●		
	Sideguard Assist	JT7	●	●		
	Comfort overhead control panel	LC4	●	●		
	Cruise control	MS1	●	●		
	Digital Owner's Manual	XO5	●	●		
	First aid kit	Y10	○	○		
	Fire extinguisher	Y16	○	○		
	Warning triangle	Y44	○	○		

Changes to individual option availability and combinations may occur depending on vehicle specification choices and the continuing evolution and adaptation of our product range. These changes may not be immediately reflected in this document as they occur, but will be introduced at the next revision opportunity.

Equipment (standard and optional overview).

● Standard ○ Optional — Not available



RETURN TO START

Category	Description	Option code	Rear-wheel drive			
			PRO	SELECT		
Driver's Assistance and Safety Equipment (cont.)						
Parking	Reversing camera	FR8	●	●		
	Parking package with 360° camera	JB6	○	○		
	Parking package with reversing camera	JB7	○	○		
	Reversing warning device	JW0	○	○		
Road speed limiters	Linear speed limiter 90 km/h EG Optional on 3 tonne models.	MD4	●	●		
Safety	Mercedes-Benz emergency call system	EY5	●	●		
	Breakdown management	EY6	●	●		
	Seat belt reminder for co-driver seat	J55	●	●		
	Seat belt warning for driver's seat	J58	●	●		
	Temperature indicator	J65	●	●		
	Blind Spot Assist	JA7	●	●		
	Intelligent Speed Assistant	JS2	●	●		
	Deactivation of bulb failure indicator	JW2	○	○		
	Incorrect fuelling protection system	K51	○	○		
	ECO start/stop function	MJ8	●	●		
	Acoustic package	XM4	●	●		
Lighting						
Lighting	Lights for left hand traffic	L10	●	●		
	Fog lamps with cornering light function	L13	○	○		
	Front fog lamps	L16	○	—		
	Directional indicators on front wings	L44	○	○		
	Interior light(s), load/pass. comp. wi. door cont.	L65	●	●		
	Motion-sensor-controlled load comp. lighting	L71	○	○		
	Omission parking lamp	L94	●	●		
	Highbeam Assist	LA1	○	●		

Changes to individual option availability and combinations may occur depending on vehicle specification choices and the continuing evolution and adaptation of our product range. These changes may not be immediately reflected in this document as they occur, but will be introduced at the next revision opportunity.

Equipment (standard and optional overview).

● Standard ○ Optional — Not available



RETURN TO START

Category	Description	Option code	Rear-wheel drive			
			PRO	SELECT		
Lighting (cont.)	Headlight assistant	LA2	●	●		
	Side marker lights	LB1	●	●		
	Additional flat turn signal lamps at rear of roof	LB3	○	○		
	3rd brake light	LB5	●	●		
	Exit lamps	LB9	○	○		
	LED light strip in load compartment	LC2	○	○		
	LED High Performance headlamps	LG7	○	●		
Loading and Towing						
Gross Vehicle Weight (GVW)	Weight variant 3.200 kg Only for 3 tonne models.	X13	○	○		
	Weight variant 3.500 kg Only for 5 tonne models.	X16	○	—		
	Weight variant 4,600 kg Only for 5 tonne models.	XA4	○	○		
	Weight variant 3.550 kg Only for 3 tonne models.	XG4	○	○		
	Weight variant 4.250 kg Only for 5 tonne models.	XG5	○	○		
	Weight variant 4.490 kg Only for 5 tonne models.	XG9	○	○		
	Weight variant 5200 kg Only for 5 tonne models.	XH2	○	○		
	Weight variant 5380 kg Only for 5 tonne (excl. L4) models.	XH3	○	○		
	Weight variant 4.100 kg Only on 417 models.	XL2	○	—		
	Weight variant 5.500 kg Optional on 5 tonne models.	XL4	○	○		

Changes to individual option availability and combinations may occur depending on vehicle specification choices and the continuing evolution and adaptation of our product range. These changes may not be immediately reflected in this document as they occur, but will be introduced at the next revision opportunity.

Equipment (standard and optional overview).

● Standard ○ Optional — Not available



RETURN TO START

Category	Description	Option code	Rear-wheel drive			
			PRO	SELECT		
Loading and Towing (cont.)						
Towing	Trailer socket, 13-pin	E43	○	○		
	Electrical components for trailer socket	E57	●	●		
	Trailer coupling, rigid coupling head	Q22	○	○		
	Trailer coupling ball headed removable	Q50	○	○		
	Towing eye rear Only for 3 tonne models.	Q67	●	●		
	Trailer coupling for increased towing capa. 3.5t	QA7	○	○		
	Increased Towing capacity 2.8t/3.0t	QA8	○	○		

Changes to individual option availability and combinations may occur depending on vehicle specification choices and the continuing evolution and adaptation of our product range. These changes may not be immediately reflected in this document as they occur, but will be introduced at the next revision opportunity.

Engine and gearbox.



RETURN TO START

	Euro 6e			Euro VI		
	x15	x17	x19	x15	x17	x19
Fuel	Diesel			Diesel		
Mixture preparation/injection method	Common-rail direct injection with twin stage turbocharging			Common-rail direct injection with twin stage turbocharging		
Cylinder arrangement	4cyl 16v			4cyl 16v		
Cubic capacity	1,950cc			1,950cc		
EU exhaust emission standard	Euro 6e			Euro VI		
Output, max. at 3,800rpm	150hp	170hp	190hp	150hp	170hp	190hp
Torque, max.	max. 340 Nm at 1,500 to 2,400 rpm	max. 400 Nm at 1,700 to 2,400 rpm	max. 450 Nm at 1,400 to 2,400 rpm	max. 340 Nm at 1,500 to 2,400 rpm	max. 400 Nm at 1,700 to 2,400 rpm	max. 450 Nm at 1,400 to 2,400 rpm
Fuel tank capacity	93 litres			93 litres		
AbBlue® capacity	22 litres			22 litres		
6-speed manual transmission	●	●	●	●	●	●
RWD	●	●	●	●	●	●
Alternator	14 V/250 A			14 V/250 A		
Battery	Heavy-duty battery (12 V 92 aH)			Heavy-duty battery (12 V 92 aH)		

● Standard ○ Optional — Not available

[RETURN TO START](#)

Fuel consumption, performance and CO₂ emissions.

Panel Van – PRO

Model	WLTP Fuel Consumption (l/100km/MPG)				
	Combined	Low (Extra Urban)	Medium (Urban)	High (Rural)	Extra High (Motorway)
315 Van L2 H1 RWD	8.8/ 32.1	10.3/ 27.4	7.9/ 35.7	7.5/ 37.6	9.9/ 28.5
315 Van L2 H2 RWD	9.1/ 31	10.4/ 27.1	8.1/ 34.8	7.8/ 36.2	10.4/ 27.1
315 Van L3 H2 RWD	9.4/ 30	10.7/ 26.4	8.4/ 33.6	8/ 35.3	10.6/ 26.6
315 Van L4 H2 RWD	9.5/ 29.7	10.8/ 26.1	8.5/ 33.2	8.1/ 34.8	10.7/ 26.4
317 Van L2 H1 RWD	8.8/ 32.1	9.9/ 28.5	8/ 35.3	7.6/ 37.1	10/ 28.2
317 Van L2 H2 RWD	9.1/ 31	10/ 28.2	8.1/ 34.8	7.9/ 35.7	10.5/ 26.9
317 Van L3 H2 RWD	9.4/ 30	10.2/ 27.6	8.4/ 33.6	8.1/ 34.8	10.8/ 26.1
317 Van L4 H2 RWD	9.4/ 30	10.2/ 27.6	8.5/ 33.2	8.2/ 34.4	10.8/ 26.1
319 Van L2 H1 RWD	10.5/ 26.9	11.3/ 24.9	9.1/ 31	9/ 31.3	12.2/ 23.1
319 Van L2 H2 RWD	10.5/ 26.9	11.3/ 24.9	9.1/ 31	9/ 31.3	12.2/ 23.1
319 Van L3 H2 RWD	10.5/ 26.9	11.3/ 24.9	9.1/ 31	9/ 31.3	12.2/ 23.1
319 Van L4 H2 RWD	10.5/ 26.9	11.3/ 24.9	9.1/ 31	9/ 31.3	12.2/ 23.1
417 Van L2 H2 RWD	8.3/ 34	10.8/ 26.1	8.3/ 34	7.8/ 36.2	7.8/ 36.2
417 Van L3 H2 RWD	8.6/ 32.8	11/ 25.6	8.6/ 32.8	8.1/ 34.8	8/ 35.3
417 Van L4 H2 RWD	8.7/ 32.4	11.1/ 25.4	8.7/ 32.4	8.1/ 34.8	8.1/ 34.8
515 Van L2 H2 RWD	11.8/ 23.9	12.7/ 22.2	10.7/ 26.4	10.3/ 27.4	13.4/ 21
515 Van L3 H2 RWD	11.8/ 23.9	12.7/ 22.2	10.7/ 26.4	10.3/ 27.4	13.4/ 21
515 Van L4 H2 RWD	11.8/ 23.9	12.7/ 22.2	10.7/ 26.4	10.3/ 27.4	13.4/ 21
517 Van L2 H2 RWD	11.9/ 23.7	12.9/ 21.8	10.6/ 26.6	10.3/ 27.4	13.8/ 20.4
517 Van L3 H2 RWD	11.9/ 23.7	12.9/ 21.8	10.6/ 26.6	10.3/ 27.4	13.8/ 20.4
517 Van L4 H2 RWD	11.9/ 23.7	12.9/ 21.8	10.6/ 26.6	10.3/ 27.4	13.8/ 20.4
519 Van L2 H2 RWD	12.7/ 22.2	13.9/ 20.3	11.5/ 24.5	11.1/ 25.4	14.4/ 19.6
519 Van L3 H2 RWD	12.7/ 22.2	13.9/ 20.3	11.5/ 24.5	11.1/ 25.4	14.4/ 19.6
519 Van L4 H2 RWD	12.7/ 22.2	13.9/ 20.3	11.5/ 24.5	11.1/ 25.4	14.4/ 19.6

Panel Van – SELECT

Model	WLTP Fuel Consumption (l/100km/MPG)				
	Combined	Low (Extra Urban)	Medium (Urban)	High (Rural)	Extra High (Motorway)
315 Van L2 H1 RWD	8.8/ 32.1	10.3/ 27.4	7.9/ 35.7	7.5/ 37.6	9.9/ 28.5
315 Van L2 H2 RWD	9.1/ 31	10.4/ 27.1	8.1/ 34.8	7.8/ 36.2	10.4/ 27.1
315 Van L3 H2 RWD	9.4/ 30	10.7/ 26.4	8.4/ 33.6	8.1/ 34.8	10.6/ 26.6
315 Van L4 H2 RWD	9.5/ 29.7	10.8/ 26.1	8.5/ 33.2	8.1/ 34.8	10.7/ 26.4
317 Van L2 H1 RWD	8.8/ 32.1	9.9/ 28.5	8/ 35.3	7.6/ 37.1	10/ 28.2
317 Van L2 H2 RWD	9.1/ 31	10/ 28.2	8.2/ 34.4	7.9/ 35.7	10.5/ 26.9
317 Van L3 H2 RWD	9.4/ 30	10.2/ 27.6	8.4/ 33.6	8.1/ 34.8	10.8/ 26.1
317 Van L4 H2 RWD	9.5/ 29.7	10.2/ 27.6	8.5/ 33.2	8.2/ 34.4	10.8/ 26.1
319 Van L2 H1 RWD	10.5/ 26.9	11.3/ 24.9	9.1/ 31	9/ 31.3	12.2/ 23.1
319 Van L2 H2 RWD	10.5/ 26.9	11.3/ 24.9	9.1/ 31	9/ 31.3	12.2/ 23.1
319 Van L3 H2 RWD	10.5/ 26.9	11.3/ 24.9	9.1/ 31	9/ 31.3	12.2/ 23.1
319 Van L4 H2 RWD	10.5/ 26.9	11.3/ 24.9	9.1/ 31	9/ 31.3	12.2/ 23.1
515 Van L2 H2 RWD	11.8/ 23.9	12.7/ 22.2	10.7/ 26.4	10.3/ 27.4	13.4/ 21
515 Van L3 H2 RWD	11.8/ 23.9	12.7/ 22.2	10.7/ 26.4	10.3/ 27.4	13.4/ 21
515 Van L4 H2 RWD	11.8/ 23.9	12.7/ 22.2	10.7/ 26.4	10.3/ 27.4	13.4/ 21
517 Van L2 H2 RWD	11.9/ 23.7	12.9/ 21.8	10.6/ 26.6	10.3/ 27.4	13.8/ 20.4
517 Van L3 H2 RWD	11.9/ 23.7	12.9/ 21.8	10.6/ 26.6	10.3/ 27.4	13.8/ 20.4
517 Van L4 H2 RWD	11.9/ 23.7	12.9/ 21.8	10.6/ 26.6	10.3/ 27.4	13.8/ 20.4
519 Van L2 H2 RWD	12.7/ 22.2	13.9/ 20.3	11.5/ 24.5	11.1/ 25.4	14.4/ 19.6
519 Van L3 H2 RWD	12.7/ 22.2	13.9/ 20.3	11.5/ 24.5	11.1/ 25.4	14.4/ 19.6
519 Van L4 H2 RWD	12.7/ 22.2	13.9/ 20.3	11.5/ 24.5	11.1/ 25.4	14.4/ 19.6

All figures are based on a standard specification. The addition of factory options may affect CO₂ emissions and corresponding Road Fund Licence. The indicated values were determined according to the prescribed measurement method – Worldwide Harmonised Light Vehicle Test Procedure (WLTP). Figures shown may include options which are not available in the UK. Figures shown are for comparability purposes; only compare with other vans tested to the same technical procedures. Figures may not reflect real life driving results, which will depend upon a number of factors including factory-fitted options, accessories fitted (post registration), variations in weather, driving styles and vehicle load. Further information about the test used to establish fuel consumption and CO₂ figures can be found at <https://www.mercedes-benz.co.uk/vans/en/WLTP>

Fuel consumption, performance and CO₂ emissions.


[RETURN TO START](#)

Panel Van – PRO					
Model	WLTP CO ₂ emissions (g/km)				
	Combined	Low-Speed	Medium-Speed	High-Speed	Extra High-Speed
315 Van L2 H1 RWD	231	270	208	197	259
315 Van L2 H2 RWD	240	273	212	205	274
315 Van L3 H2 RWD	246	280	220	211	279
315 Van L4 H2 RWD	248	283	222	213	281
317 Van L2 H1 RWD	231	260	209	198	261
317 Van L2 H2 RWD	239	262	213	206	276
317 Van L3 H2 RWD	246	267	221	212	282
317 Van L4 H2 RWD	248	268	223	214	284
319 Van L2 H1 RWD	274	297	239	236	319
319 Van L2 H2 RWD	274	297	239	236	319
319 Van L3 H2 RWD	274	297	239	236	319
319 Van L4 H2 RWD	274	297	239	236	319
417 Van L2 H2 RWD	219	282	218	205	206
417 Van L3 H2 RWD	225	288	225	211	210
417 Van L4 H2 RWD	227	290	228	213	212
515 Van L2 H2 RWD	310	332	282	271	352
515 Van L3 H2 RWD	310	332	282	271	352
515 Van L4 H2 RWD	310	332	282	271	352
517 Van L2 H2 RWD	313	338	277	269	362
517 Van L3 H2 RWD	313	338	277	269	362
517 Van L4 H2 RWD	313	338	277	269	362
519 Van L2 H2 RWD	333	365	300	291	376
519 Van L3 H2 RWD	333	365	300	291	376
519 Van L4 H2 RWD	333	365	300	291	376

Panel Van – SELECT					
Model	WLTP CO ₂ emissions (g/km)				
	Combined	Low-Speed	Medium-Speed	High-Speed	Extra High-Speed
315 Van L2 H1 RWD	231	270	209	198	259
315 Van L2 H2 RWD	240	273	213	206	274
315 Van L3 H2 RWD	247	281	220	212	280
315 Van L4 H2 RWD	249	283	222	214	281
317 Van L2 H1 RWD	231	260	209	199	261
317 Van L2 H2 RWD	240	262	214	206	276
317 Van L3 H2 RWD	246	267	221	213	282
317 Van L4 H2 RWD	248	268	224	214	284
319 Van L2 H1 RWD	274	297	239	236	319
319 Van L2 H2 RWD	274	297	239	236	319
319 Van L3 H2 RWD	274	297	239	236	319
319 Van L4 H2 RWD	274	297	239	236	319
515 Van L2 H2 RWD	310	332	282	271	352
515 Van L3 H2 RWD	310	332	282	271	352
515 Van L4 H2 RWD	310	332	282	271	352
517 Van L2 H2 RWD	313	338	277	269	362
517 Van L3 H2 RWD	313	338	277	269	362
517 Van L4 H2 RWD	313	338	277	269	362
519 Van L2 H2 RWD	333	365	300	291	376
519 Van L3 H2 RWD	333	365	300	291	376
519 Van L4 H2 RWD	333	365	300	291	376

All figures are based on a standard specification. The addition of factory options may affect CO₂ emissions and corresponding Road Fund Licence. The indicated values were determined according to the prescribed measurement method – Worldwide Harmonised Light Vehicle Test Procedure (WLTP). Figures shown may include options which are not available in the UK. Figures shown are for comparability purposes; only compare with other vans tested to the same technical procedures. Figures may not reflect real life driving results, which will depend upon a number of factors including factory-fitted options, accessories fitted (post registration), variations in weather, driving styles and vehicle load. Further information about the test used to establish fuel consumption and CO₂ figures can be found at <https://www.mercedes-benz.co.uk/vans/en/WLTP>

Weights and payloads.


[RETURN TO START](#)

Panel Van – PRO

Model	Gross Vehicle Weight (Kg)	Payload (Kg)	Kerb weight, with driver (Kg)*	Gross Combination Weight (Kg)
315 Van L2 H1 RWD	3,500	1,200	2,300	5,500
315 Van L2 H2 RWD	3,500	1,165	2,335	5,500
315 Van L3 H2 RWD	3,500	1,013	2,487	5,500
315 Van L4 H2 RWD	3,500	966	2,534	5,500
317 Van L2 H1 RWD	3,500	1,200	2,300	5,500
317 Van L2 H2 RWD	3,500	1,165	2,335	5,500
317 Van L3 H2 RWD	3,500	1,013	2,487	5,500
317 Van L4 H2 RWD	3,500	966	2,534	5,500
319 Van L2 H1 RWD	3,500	1,186	2,314	5,500
319 Van L2 H2 RWD	3,500	1,151	2,349	5,500
319 Van L3 H2 RWD	3,500	999	2,501	5,500
319 Van L4 H2 RWD	3,500	954	2,546	5,500
417 Van L2 H2 RWD	3,880	1,543	2,337	5,500
417 Van L3 H2 RWD	3,880	1,392	2,488	5,500
417 Van L4 H2 RWD	3,880	1,345	2,535	5,500
515 Van L2 H2 RWD	5,000	2,479	2,521	7,000
515 Van L3 H2 RWD	5,000	2,315	2,685	7,000
515 Van L4 H2 RWD	5,000	2,269	2,731	7,000
517 Van L2 H2 RWD	5,000	2,479	2,521	7,000
517 Van L3 H2 RWD	5,000	2,315	2,685	7,000
517 Van L4 H2 RWD	5,000	2,269	2,731	7,000
519 Van L2 H2 RWD	5,000	2,465	2,523	7,000
519 Van L3 H2 RWD	5,000	2,320	2,680	7,000
519 Van L4 H2 RWD	5,000	2,255	2,745	7,000

Panel Van – SELECT


Model	Gross Vehicle Weight (Kg)	Payload (Kg)	Kerb weight, with driver (Kg)*	Gross Combination Weight (Kg)
315 Van L2 H1 RWD	3,500	1,192	2,308	5,500
315 Van L2 H2 RWD	3,500	1,157	2,343	5,500
315 Van L3 H2 RWD	3,500	1,005	2,495	5,500
315 Van L4 H2 RWD	3,500	958	2,542	5,500
317 Van L2 H1 RWD	3,500	1,192	2,308	5,500
317 Van L2 H2 RWD	3,500	1,157	2,343	5,500
317 Van L3 H2 RWD	3,500	1,005	2,495	5,500
317 Van L4 H2 RWD	3,500	958	2,542	5,500
319 Van L2 H1 RWD	3,500	1,178	2,322	5,500
319 Van L2 H2 RWD	3,500	1,143	2,357	5,500
319 Van L3 H2 RWD	3,500	991	2,509	5,500
319 Van L4 H2 RWD	3,500	946	2,554	5,500
515 Van L2 H2 RWD	5,000	2,471	2,529	7,000
515 Van L3 H2 RWD	5,000	2,307	2,637	7,000
515 Van L4 H2 RWD	5,000	2,261	2,739	7,000
517 Van L2 H2 RWD	5,000	2,471	2,529	7,000
517 Van L3 H2 RWD	5,000	2,307	2,693	7,000
517 Van L4 H2 RWD	5,000	2,261	2,731	7,000
519 Van L2 H2 RWD	5,000	2,475	2,543	7,000
519 Van L3 H2 RWD	5,000	2,311	2,689	7,000
519 Van L4 H2 RWD	5,000	2,247	2,753	7,000

* Based on a driver weight of 75kg.

REAR-WHEEL DRIVE – PANEL VAN 3.5 TONNE L2 H2

Technical side profile drawing of a Toyota Proace van. Dimensions are provided in millimeters (mm) and inches (in). Key dimensions include:

- Overall length: 3272 mm (128.4 in)
- Wheelbase: 3065 mm (120.7 in)
- Front overhang: 1021 mm (40.2 in)
- Rear overhang: 1246 mm (49.1 in)
- Height to roofline (at rear): 2009 mm (79.1 in)
- Height to roofline (at front): 1818 mm (71.6 in)
- Clear height of door: 1260 mm (49.6 in)
- Clear width of door: 1260 mm (49.6 in)
- Ground clearance (front): 162 mm (6.4 in)
- Ground clearance (rear): 166 mm (6.5 in)
- Ground clearance (at wheel): 135 mm (5.3 in)



REAR-WHEEL DRIVE – PANEL VAN 3.5 TONNE L3 H2


Technical side profile drawing of a van with dimensions in millimeters and degrees. Dimensions include overall length (4307), wheelbase (2392), height (2009), and various clearances and angles.

Dimension	Value
Overall Length	4307
Wheelbase	2392
Height	2009
Clearance of door (height)	1818
Clear width of door	1260
Ground clearance (front)	188 (min.)
Ground clearance (rear)	136
Ground clearance (middle)	130
Front overhang	1021
Wheelbase	4325
Rear overhang	1621
Overall length (including overhangs)	6967



REAR-WHEEL DRIVE – PANEL VAN 3.5 TONNE L4 H2

Side profile view of the Honda Prologue van. Dimensions include: overall length 4707, wheelbase 2392, front overhang 1021, rear overhang 2021, total height 2009, interior height 1813, interior width 1260, ground clearance 188 (min.), front wheel offset 920, rear wheel offset 322, front wheel offset 1021, and rear wheel offset 2021. The front wheel offset is 1021, the wheelbase is 2392, and the rear wheel offset is 2021. The front wheel offset is 1021, the wheelbase is 2392, and the rear wheel offset is 2021.






Dimensions.



RETURN TO START

REAR-WHEEL DRIVE - PANEL VAN 4 TONNE L2 H2

Wheelbase	Wheelbase length	3,665mm
	Turning circle	13.4m
	Front track width	1,713mm
	Rear track width	1,732mm
Vehicle	Length	5,932mm
	Height (unladen)	2,667mm
	Width (inc. wing mirrors)	2,345mm
	Ground clearance	165mm
Load compartment	Load floor length	3,375mm
	Load volume	10.5m³
	Max. width	1,787mm
	Height	2,009mm
	Width between wheel arches	1,350mm






Dimensions.



RETURN TO START

REAR-WHEEL DRIVE - PANEL VAN 4 TONNE L3 H2

Wheelbase	Wheelbase length	4,325mm
	Turning circle	15.3m
	Front track width	1,713mm
	Rear track width	1,732mm
Vehicle	Length	6,967mm
	Height (unladen)	2,663mm
	Width (inc. wing mirrors)	2,345mm
	Ground clearance	165mm
Load compartment	Load floor length	4,410mm
	Load volume	14.0m³
	Max. width	1,787mm
	Height	2,009mm
	Width between wheel arches	1,350mm






Dimensions.



RETURN TO START

REAR-WHEEL DRIVE - PANEL VAN 4 TONNE L4 H2

Wheelbase	Wheelbase length	4,325mm
	Turning circle	15.3m
	Front track width	1,713mm
	Rear track width	1,732mm
Vehicle	Length	7,367mm
	Height (unladen)	2,662mm
	Width (inc. wing mirrors)	2,345mm
	Ground clearance	164mm
Load compartment	Load floor length	4,810mm
	Load volume	15.5m³
	Max. width	1,787mm
	Height	2,009mm
	Width between wheel arches	1,350mm




Dimensions.



RETURN TO START

REAR-WHEEL DRIVE - PANEL VAN 5 TONNE L2 H2

Wheelbase	Wheelbase length	3,665mm
	Turning circle	13.2m
	Front track width	1,685mm
	Rear track width	1,517mm
Vehicle	Length	5,932mm
	Height (unladen)	2,710mm
	Width (inc. wing mirrors)	2,345mm
	Ground clearance	176mm
Load compartment	Load floor length	3,375mm
	Load volume	10.5m³
	Max. width	1,787mm
	Height	2,009mm
	Width between wheel arches	978mm






Dimensions.



RETURN TO START

REAR-WHEEL DRIVE - PANEL VAN 5 TONNE L3 H2




Wheelbase	Wheelbase length	4,325mm
	Turning circle	15.2m
	Front track width	1,685mm
	Rear track width	1,517mm
Vehicle	Length	6,967mm
	Height (unladen)	2,706mm
	Width (inc. wing mirrors)	2,345mm
	Ground clearance	176mm
Load compartment	Load floor length	4,410mm
	Load volume	14.0m³
	Max. width	1,787mm
	Height	2,009mm
	Width between wheel arches	978mm



Dimensions.

REAR-WHEEL DRIVE - PANEL VAN 5 TONNE L4 H2

Wheelbase	Wheelbase length	4,325mm
	Turning circle	15.2m
	Front track width	1,685mm
	Rear track width	1,517mm
Vehicle	Length	7,367mm
	Height (unladen)	2,703mm
	Width (inc. wing mirrors)	2,345mm
	Ground clearance	176mm
Load compartment	Load floor length	4,810mm
	Load volume	15.5m³
	Max. width	1,787mm
	Height	2,009mm
	Width between wheel arches	978mm



RETURN TO START